

RVi

RU



RVi-IPN32/8-PRO



	RVi-IPN32/8-PRO
	.264
	32
	1 HDMI, 1 VGA, 1 BNC
()	1920×1080, 1280×1024, 1280×720, 1024×768, 800×600
/	1 (BNC) / 1 (BNC)
	G.711A
\	16/6
	75 10
()	5MP(2560x1920) / 3MP(2048x1536) / 1080P(1920x1080) / 720P(1280x720) / D1 (704.576/704x480)
	400 / (1080p), 400 / (720p)
/	, , , 30 / 300
HDD	SATA3 4
HDD	8 HDD SATA+4 HDD eSATA
USB	4 . (2)
RS485	PTZ
RS232	, , ,
	32 SATA + 16 eSATA
	, / (,),
	1 Gbit Ethernet
	HTTP, IPv4/IPv6, TCP/IP, UPNP, RTSP, UDP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP
	web- (IE, Google chrome, Firefox Mozilla,Opera) C RVi-PSS Windows XP Windows 7, MAC OS. : S Symbian, S Windows mobile, S Android, S Blackberry, i S.
	IP- RVi
	20
	/
	22 18 , 6
	-10...+55 °C
	100-240 AC, 40 HDD
	440x460x89 ()
	6 HDD





- SATA
- USB
- CD (19”)


- 1 .
- 8 .
- 1 .
- 1 .
- 1 .
- 1 .



1.

1

1		
2		(/)
3		
4	0-9	
5		USB
6	REC	
7	Fn	
8	ESC	



HDD

SATA


HDD

HDD.



HDD

SATA



Enter



- : admin. : admin. (,)
- : 888888. : 888888. (,)
- : default. : default ()

USB-



().


:

WEB-

web- NVR
ping ***.***.***.***(* IP NVR) 255.
TTL NVR.
IE : IP 192.168.1.108.
http://192.168.1.108 Internet Explorer.

« ».

ActiveX,



»,

« ».

«

».

IP


«
DVR.

WEB

admin

admin.

« ».



WEB


4

:



WEB

:



:

CD

<http://www.rvi-cctv.ru/>

BY

RVi- IPN32/8-PRO







	RVi-IPN32/8-PRO
	.264
	32
	1 HDMI, 1 VGA, 1 BNC
()	1920×1080, 1280×1024, 1280×720, 1024×768, 800×600
/	1 (BNC) / 1 (BNC)
	G.711u
/	16/6
	75 10
()	5MP(2560x1920) / 3MP(2048x1536) / 1080P(1920x1080) / 720P(1280x720) / D1 (704.576/704x480)
	400 / (1080p), 400 / (720p)
	, , ,
/	30 / 300
HDD	SATA3 4
HDD	8 HDD SATA+4 HDD eSATA
USB	4 (2)
RS485	PTZ
RS232	
,	32 SATA + 16 eSATA
	, / (,),
	1 Gbit Ethernet
	HTTP, IPv4/IPv6, TCP/IP, UPNP, RTSP, UDP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP i e
	web- (IE, Google chrome, Firefox Mozilla,Opera)
C	RVi PSS Windows XP Windows 7, MAC OS.
	: S Symbian, S Windows mobile, S Android, S Blackberry, i S.
	20
	/
22 18	, 6
	-10...+55 °C
	100-240 AC, 40 HDD
	440x460x89 ()
	6 HDD

: , ,
 SATA 1 .
 USB 8 .
 CD (1 .
 19 " ,) 1 .
 1 .




1.

1

1		.
2		(/) .
3		.
4	0-9	.
5		USB
6	REC	
7	Fn	
8	ESC	

«RVi»

«RVi»



HDD

SATA

HDD

HDD.




HDD

SATA


«RVi»

«RVi»



DVR?

Enter




(: 888888. : 888888. (: admin. : admin.)
 : default. : default ()
)
 USB-
 ()

ИНТЕРНЕТ-МАГАЗИН: TELECAMERA.RU

«RVi»

admin admin. " "




The login form for RVi Service is displayed in a dark grey window. It features the RVi Service logo at the top. Below the logo, there are two input fields: one for the username labeled 'Имя польз.: admin' and one for the password labeled 'Пароль:'. A 'Вход' (Login) button is positioned to the right of the password field.

WEB

5



WEB



(, . .) , , , ,

1 DVR 5 15150-69.

15150-69.

-

- 36

WEB





:


	RVi-IPN32/8-PRO
	.264
	32
	1HDMI, 1 VGA, 1 BNC
()	1920×1080, 1280×1024, 1280×720, 1024×768, 800×600
/	1 (BNC) / 1 (BNC)
	G.711u
/	16/6
	10 75
()	5MP(2560x1920) / 3MP(2048x1536) / 1080P(1920x1080) / 720P(1280x720) / D1 (704x576)
	400 / (1080p), 400 / (720p)
	, , ,
/	30 / 300
HDD	SATA3 4
HDD	8 HDD + eSaTa
USB	4 (2)
RS485	PTZ
RS232	
	, 32 SATA + 16 eSATA
	, / (,),
	1 Gbit Ethernet
	HTTP, IPv4/IPv6, TCP/IP, UPNP, RTSP, UDP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP
	web- (IE, Google chrome, Firefox Mozilla,Opera) Windows XP Windows 7, MAC OS RVi PSS : S Symbian, S Windows mobile, S Android, S Blackberry, i S.
	20
	/
	22 18 , 6
	-10...+55 °C
	100-240 AC, 40 , HDD
	440x460x89 ()
	6 , HDD

- SATA 1 .
- USB 8 .
- CD (1 .
- 19" 1 .



1

1		
2		(/)
3		
4	0-9	
5		USB
6	REC	
7	Fn	
8	ESC	



HDD

SATA


HDD

HDD




«RVi»

HDD , SATA



NVR?	NVR ?

Enter



...	

- : admin. : admin. (,)
- : 888888. : 888888. (,)
- : default. : default ()

USB -

()



·
:

·
, -
·


ИНТЕРНЕТ-МАГАЗИН: TELECAMERA.RU



«RVi»	

(https:)	(https:)
...	...

DVR , « IP - . « »
 WEB admin admin. « »




WEB 5 : , , ,





«RVi»

WEB



«RVi»



(,

, .)

15150-69 5

.

15150-69

1

NVR

. ,

36 .

—

.

:



;

,

,

;

;

:

Web

:

« _____ » _____ 201_____