


-585 (RF) , VIZIT
 24 / VIZIT,
 -533FCBE, -533FCBE, - 4.
 -532FCBE IP- LAN
 10/100BASE-TX Ethernet, (.).




- ① IP -
- ② IP -
- ③
- ④ C RF 13.56
- ⑤
- ⑥
- ⑦
- ⑧
- ⑨ OLED-

1 -

-533FCBE :
 F - RF (VIZIT-RF3.x VIZIT-RF4.x / 13.56);
 - ;
 - "Board".
 E - Ethernet.

! RF VIZIT® .



24 .

LINE (RJ-45). -585 (LINEA, LINE , +24V, GND)

- 1)
- 2) (RJ-45).

RJ-45-

LINE-A LINE-B

100...110

300


UTP Cat-5,
+24VDC

« » GND.

-5 (VIZIT- -12), /

-432 VIZIT- -15 F-432 (

-5 ,



(1) - 160 , - 130

(2) (4) 4,2



(3)

(4) DIN 912 SW 4,8 40 (4)


(5) (4)

DIN 912 SW 4,8 40

4



3 -




4

		LINE*
LA	(Line A) -	8
LB	(Line B) -	7
OP/DL	(Open / Door Lock) -	-
GND	(GROUND) -	6, 3, 2, 1
+24V	(+ 24 VDC) -	5, 4
BS	(Button Station) -	(-585) BS-424-x, RD-4R (RD-3)
	- « »	
TX+, TX-	Ethernet	Ethernet
RX+, RX-	Ethernet	

*

-585 (LINEA, LINE , +24V, GND)

LINE (RJ-45).



Ethernet - Ethernet

5.

BS-424- ,

RD-4R

BS-424-

(

BS-424

GND, +24V, BS

4

BS-424-


BS-424-
BS(. .28

1 4(. .27

VIZIT-RF2 (125kHz)

RD-4R (RD-3)-

GND, +24V, BS.



OP/DL

(685).

OP/DL
GND.

Open

ML

OP/DL

EL (. .12

EXIT.

VIZIT-RF3.x / VIZIT-RF4.x (13.56)

PIN-

RF,

RF

RF

PIN-

PIN-

RF

PIN-

RF,

(

).

(,) - (.23 RF) , PIN- 0000 0000
, RF ,

PIN-

RF

PIN-

(.23)

- ,
- :
- , / PIN- ,
- :

VIZIT-RF3.x

VIZIT-RF4.x.
VIZIT-RF3.x

-
VIZIT-RF4.x.

- - 1 1 .23 , - 2
- 1 1 .7.

:

- RF ;
- RF ;
- PIN- ;
- - ;
- - 1;
- - 1;
- - 2;
- - 2;
- - ;
- PIN- ;

:

1.

PIN-

- 1 2 - 1
- 2, - 1
- RF RF
- RF 1 RF
- RF . .

[*].

).

(.23

2.

PIN-

- 1 2 : - 1
- 2, -
- 2 PIN- (PIN:_
- PIN- , - 0000 0000). PIN-
- PIN- PIN- PIN- PIN-
- : PIN- :
- :

3. - () - .
- 1 2 : - 1
- 2,
- 3 (, - 0000 0000).
- :
- , :
- (.23).
4. - 1.
- 1 2 : - 1
- 2,
- 4 [#]. - 1 : 1?
- , :
- :
5. - 1.
- 1 2 : - 1
- 2,
- 5 RF : 1.
- 1 :
- RF : 1,
- 10 RF :
- ,
6. - 2.
- 1 2 : - 1
- 2,
- 6 [#]. - 2 : 2?
- , :
- :
7. - 2.
- 1 :
- 1.
- 7 RF : 2.
- 2 :
- RF : 2,
- 10 RF : 1
- 1 ,
8. - 1 2 : - 1
- 2,
- 8 : :
- " 10 :
- :
9. PIN-
- 1 2 : - 1
- 2,
- 9 : PIN:
- " 10 PIN- :
- :

«#999»

«1234».

1	(1 2)	1
2	()	1
3	RS-485 (1...254)	1
4		256 # 0
5	(32 / 64 / 128 / 256)	32
6	/ ⁽¹⁾	
7	/	
8	(2...6),	2
9	(1...5)	3
10	(0...9)	5
11	(/)	
12	⁽²⁾ : (ML) (EL)	ML
13	(1...20),	7
14	/	
15		4230
16	/	
17		000 ⁽³⁾
18	« ⁽⁹⁾ »	
19	RFID	
20	RFID	
21		1234
22	⁽⁴⁾	
23	- ⁽⁸⁾	
	1 -	
	2 - -	0000 0000
	3 - - 1 / PUK-	
24		
25		
26	⁽⁵⁾	
27	BS (BS ⁽⁶⁾ BS 1...4	
28	BS ⁽⁶⁾ , «1 ⁽⁷⁾ »	
29	BS, «1 ⁽⁷⁾ »	
30		256 # 0
31	/ «1 ⁽⁷⁾ » (-)	
32	-502 RS-485 VEM-701 (1...4)	3
33	/ -502. (" ")	
34	(" ")	5
35	IP- -533, (0...24)	0
36	-533 (0...9)	4
37	-533 (0...9)	4
38	« ⁽⁷⁾ » IP- -533	
39	« ⁽⁷⁾ » IP- -533	
50		
51		
52		
53		

RS-485 (-585)

VIZIT-Commander.

- (1) – ! « » ().
- (2) – : (ML)
- (3) – «000»
- (4) – PRG. PRG.
- (5) – : -128...+127.
- (6) – BS BS. -533FCBE
(GND, +24V, BS) 4 BS.
BS 1...4(27).

	BS	(-501)			
1	11 (1-1- BS)	1	2	2	2
2	12 (2-1- BS)	1	1	40	(BS) + (-501)
3	12 (2-1- BS)	2	41	80	
4	12 (2-1- BS)	3	81	120	
...					
64	48 (8-4- BS)	X	Y	Z	

64 , 4 BS (32).

- (7) – «1 » (.31,) , , . . . (- 200.
- « # »). 999, - 200.
- (.28), :

	BS	(-501)			
1		1	1	40	() (-501)
2		2	41	80	
3		3	81	120	
4		4	121	141	
...					

« BS» , #.

- (8) – - (.23) :
- PIN- ;
- ;
- 1/ PUK- .
- (9) – ! « » VIZIT-RF3.x PIN-
-533FCBE « PIN- , PIN-
« » « »

«IP-Cam_OI_ru_xx.pdf» - IP-
www.domofon.ru

- 1.
- 2.
- 3.

PIN-

PIN-
PUK-

- PUK-
- 3 - 1 / PUK-
- PIN- PIN
- PUK- PUK
- 1.

VIZIT Firmware Update. **CU-14, VIZIT Firmware Update**
 CU-14) - VIZIT:
 www.domofon.ru, www.domofon-vizit.ru, www.domofon-vizit.kiev.ua, www.vizit-group.com/ru/.

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.


UPDATE

.6. : Firmware Update.

VIZIT Firmware Update.

USB.

VIZIT Firmware Update.



7 -

, 18...25
 , , 7
 :
 - 190
 - 150
 - 41
 , , : 0,85

IP-	
	“Board”
	120°
CVBS	CIR
CVBS	PAL
CVBS	700
	0 ()
-	
	2 ()
	1920x1080, 1280x720
	704x576, 640x480, 640x352, 320x240
	10 /100BASE-TX Ethernet
	MJPEG, H.264, H.265, H.265+
	G.711 U, G.711 A, G.726

:
 - 40 50 °C
 - 98% 25 °C.