

### **Villa Outdoor Station**



#### **Features**

- Being equipped with advanced built-in system and software, suit for villa
- Camera: 1.3 MP CMOS camera
- · Metal appearance
- Night vision: the particular white light in the camera able to make the clear picture at night
- One button with background light ,easy to operate
- Call indoor monitor and management centre
- · Support unlock remotely
- Support visitor leaving audio and video message
- · Support group call function

# ИНТЕРНЕТ-МАГАЗИН: TELECAMERA.RU



## DH-VTO6000CM


# **Specifications**

| Mode                     |                       | DH-VTO6000CM                    |
|--------------------------|-----------------------|---------------------------------|
| System                   | Main Processor        | Embedded micro processor        |
|                          | Operation             | Embedded LINUX OS               |
|                          | System                |                                 |
| Video                    | Video                 | H.264                           |
|                          | Compression           |                                 |
|                          | Standard              |                                 |
|                          | Input/Approach        | 1.3MP CMOS HD camera            |
|                          | ing Induction         |                                 |
|                          | Black Light           | Support                         |
| Audio                    | Audio Input           | Omnidirection Microphone        |
|                          | Audio Output          | Built-in loudspeaker            |
|                          | Bidirectional<br>Talk | Support bidirectional talk      |
| Operation<br>Mode        | Input                 | One-key input (with blacking)   |
| Alarm and Access Control | Vandal proof          | Support                         |
| Network                  | Ethernet              | 10M/100Mbps Self-adaptive       |
|                          | Network<br>Protocol   | TCP/IP                          |
| Storage                  | Memory                | 128MB                           |
| General                  | Power                 | DC 10~15V                       |
|                          | Power                 | Standby ≤1W,work ≤10W           |
|                          | Consumption           |                                 |
|                          | Working               | -10℃−+60℃,10~95% RH             |
|                          | Environments          |                                 |
|                          | Dimensions            | 141.0mm*100.0mm*16.8mm (L*W*T); |
|                          | Weight                | 0.8Kg                           |

## ИНТЕРНЕТ-МАГАЗИН: TELECAMERA.RU



### DH-VTO6000CM



#### Dahua Technology Co., Ltd.

1187BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883 Fax: +86-571-87688815

Email:overseas@dahuatech.com

www.dahuatech.com

<sup>\*</sup>Design and specifications are subject to change without notice.